



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/717,664	11/21/2003	Pierre Coldefy	245517US41X CONT	9054
22850	7590	12/20/2006	EXAMINER	
OBLON, SPIVAK, MCCLELLAND, MAIER & NEUSTADT, P.C. 1940 DUKE STREET ALEXANDRIA, VA 22314			RAHMJOO, MANUCHER	
		ART UNIT		PAPER NUMBER
				2628
SHORTENED STATUTORY PERIOD OF RESPONSE	MAIL DATE	DELIVERY MODE		
3 MONTHS	12/20/2006	PAPER		

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

Office Action Summary	Application No.	Applicant(s)	
	10/717,664.	COLDEFY ET AL.	
	Examiner Mike Rahmjoo	Art Unit 2628	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

1) Responsive to communication(s) filed on 17 October 2006.

2a) This action is **FINAL**. 2b) This action is non-final.

3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

4) Claim(s) 1-7,9-16 and 18-30 is/are pending in the application.
4a) Of the above claim(s) _____ is/are withdrawn from consideration.

5) Claim(s) _____ is/are allowed.

6) Claim(s) 1-7,9-16,18-30 is/are rejected.

7) Claim(s) _____ is/are objected to.

8) Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

9) The specification is objected to by the Examiner.

10) The drawing(s) filed on _____ is/are: a) accepted or b) objected to by the Examiner.

Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).

Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).

11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
a) All b) Some * c) None of:
1. Certified copies of the priority documents have been received.
2. Certified copies of the priority documents have been received in Application No. _____.
3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a))

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

1) Notice of References Cited (PTO-892) 4) Interview Summary (PTO-413)
2) Notice of Draftsperson's Patent Drawing Review (PTO-948) Paper No(s)/Mail Date. ____ .
3) Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date. ____ .
5) Notice of Informal Patent Application
6) Other: ____ .

DETAILED ACTION

Claim Rejections - 35 USC § 112

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Claim 1- 7, 9- 16 and 18- 30 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

As per claim 1 line 4 applicant recites "...selector configured to select...". It is unclear if any selection is being performed.

As per claim 1 line 5 applicant recites "...image to be displayed...". It is unclear if any displaying is done.

As per claim 1 line 7 applicant recites "...mechanism configured to display...". It is unclear if any display is performed.

As per claim 1 line 9 applicant recites "...configured to center...". It is unclear if any centering is performed.

As per claim 1 line 15 applicant recites "...configured to change...". It is unclear if any changing is done.

Claims 2- 7, 9- 16, 18- 30 have similar rejections and are rejected with the same rational.

Appropriate correction is respectfully requested.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 1- 3, 5, 7, 9-12, 14, 16, 18- 20, 23- 24 and 27- 30 are rejected under 35 U.S.C. 103(a) as being unpatentable over Vandevoorde et al (US Patent 6246342), hereinafter, Vandevoorde in view of Munro et al (US PAP 2002/ 0089549), hereinafter, Munro.

As per claims 1 and 10 Vandevoorde teaches a display including at least one window see for example figure 7 window 39; a database (MMI) including data related to an airport see for example column 8 lines 19- 20; a selector (see for example figure 7 window 40) configured to select from a plurality of different degrees of zoom for an airport image to be displayed, the airport image corresponding to the airport, the selector comprising a plurality of zoom buttons configured to display the airport image in the window according to a plurality of predefined zoom degrees see for example figure 7 for the toolbar area with the sliding bar and two buttons corresponding to the plurality of zoom buttons are displayed (a scale button and a plus button for zooming) and column 7 lines 25- 37; a control unit (see for example the system of figure 7 wherein a

mouse is used for clicking on various work functions) connected to the display, the database and the selector, the control unit being configured to control the display to display in the at least one window the airport image according to a scale value representative of the degree of zoom (see for example the size in the pull down menu or the plus and the scale GUIs in the work functions area above window 39 of figure 7) selected by the selector see for example figure 7 and display 41 to display the airport image according to the predefined zoom value; and a changing unit configured to change the scale value representative of the degree of zoom see for example column 7 lines 51- 52 for the control windows that allow touch control and lines 60- 67 for the zooming to control the individual lights and the corresponding enlargement and also the plus and scale GUIs of figure 7;

However, Vandevoorde does not teach a selection mechanism configured to center the view on a different one of plural predetermined portions of the view each time the selection mechanism is activated.

Munro teaches a selection mechanism configured to center the view on a different one of plural predetermined portions of the view each time the selection mechanism is activated corresponding to for example figures 2- 7 and paragraph [0032] for the selection mechanism (e.g., two navigation tool bars 216 with numerous controls 230 to manipulate these images including the centering control) configured to center the view on a different one of plural predetermined portions of the view each time the selection mechanism is activated. The moving controls (e.g., moving left on the image, moving right on the image, moving up on the image, or moving down on the

image) also broadly correspond to applicant selection mechanism configured to center the view on a different one of plural predetermined portions of the view each time the selection mechanism is activated by moving said controls in a given direction towards making adjustments to center the view.

It would have been made obvious to one of ordinary skilled in the art at the time the invention was made to incorporate the teachings of Munro into Vandevoorde to further include plurality of GUIs or controls (e.g., selection mechanisms) to manipulate an image, and to calculate a predetermined setting through said GUI or controls and therefore make it an efficient and user friendly device see for example paragraph [0021].

As per claims 2 and 11 Munro broadly teaches the selector includes at least one zoom button configured to zoom in and zoom out between a maximum zoom value and a minimum zoom value so as to display different detailed views see for example fig. 2- 7 for zoom in and zoom out controls. The magnify control also corresponds to said zoom in.

As per claims 3 and 12 Vandevoorde teaches displaying the airport in the window according to a first predefined zoom degree corresponding to general navigation, the airport image corresponding to the first predefined zoom degree including a full display of the airport see for example figures 1- 7 and 9- 10; displaying the airport image in the window according to a second predefined zoom degree corresponding to proximity navigation, the airport image corresponding to the second predefined zoom degree including a plurality of details of the airport see for example

column 7 lines 38- 49 for the zoom display of an aircraft position and the movement of the aircraft (proximity navigation) along with airport specific data; and displaying the airport image in the window according to a third predefined zoom degree corresponding to airport details, the airport image corresponding to the third predefined zoom degree including details of the airport required for precision taxiing see for example column 8 lines 24- 30 for the enlargement of the screen for safe taxiing.

However, Vandevoorde does not teach a first, second and third buttons.

Munro teaches a first and second and third buttons corresponding for example to paragraph [0041] and figures 2- 7 and controls (e.g., zoom out, zoom in, magnify) respectively corresponding to said buttons. Other controls (e.g., restore initial view, stretch, and the four direction move controls) also correspond to said buttons.

It would have been made obvious to one of ordinary skilled in the art at the time the invention was made to incorporate the teachings of Munro into Vandevoorde to further include plurality of GUIs or controls so as to ease the use of navigation from one display to another with any level of detail desired on a real time basis and therefore make it an efficient and user friendly device.

As per claims 5 and 14 Munro teaches the selector mechanism is further configured to cyclically select the different one of plural predefined portions of the view which is centered each time the selection mechanism is activated corresponding to for example fig. 2- 7 and paragraph [0032] for the controls (e.g., centering, and reset/ undo, restore initial view, region of interest) which may manipulate a displayed image by using the controls 230 mentioned above as well as other similar controls.

As per claims 7 and 16 Vandevoorde teaches the selector includes a selection mechanism configured to select a portion of the airport such that the portion of the airport is displayed in the airport image on the window see for example figures 12- 14.

As per claims 9 and 18 Vandevoorde teaches the control unit is configured to display two different degrees of zoom in a continuous manner such that a change from the first degree of zoom to the second degree of zoom appears continuous to an operator viewing the display see for example figures 7 and 12- 14.

As per claims 19 and 23 Vandevoorde teaches an updating mechanism configured to dynamically update the database according to traffic of airport vehicles including aircrafts or technical vehicles see for example claim 21.

As per claims 20 and 24 Vandevoorde teaches the airport vehicles are displayed on the airport image and identified by a sign, a code or a number see for example column 7 line 46.

As per claims 27- 28 Vandevoorde teaches a displacement button configured to displace a view of the airport being displayed in the airport image on the window in horizontal and vertical directions so as to display other portions of the airport see for example column 4 lines 60- 67.

As per claims 29- 30 Munro teaches the selection mechanism is configured to center the view on the predetermined portion regardless of the location of an airplane corresponding to for example fig. 2- 7 and the controls on a centered image.

Claims 4, 6, 13, 15, 21- 22 and 25- 26 are rejected under 35 U.S.C. 103(a) as being unpatentable over Vandevoorde in view of Takishita (US Patent 6,121,900).

As per claims 4 and 13 Vandevoorde does not teach the display system is installed in a moving vehicle, and the selector includes a centering button configured to automatically reconfigure the display such that the moving vehicle is displayed in a center of the window.

However, Takishita teaches the display system is installed in a moving vehicle, and wherein the selector includes a centering button configured to automatically reconfigure the display such that the moving vehicle is displayed in a center of the window see for example column 2 lines 35- 40 wherein the vehicle position CM is in the center of the screen.

It would have been made obvious to one of ordinary skilled in the art at the time the invention was made to incorporate the teachings of Takishita into Vandevoorde to help the driver of the vehicle recognize the vehicle position and therefore give the driver of a vehicle route guide information whereby the driver can easily arrive at a desired destination and throughout the navigation and therefore make it an efficient and user friendly device see for example column 1 lines 10- 20.

As per claims 6 and 15 Takishita teaches a toggle button configured to automatically display in the airport image the entire airport on the window upon selection of the toggle button and to redisplay in the airport image a portion of the airport image being displayed prior to selection of the toggle button upon another selection of the toggle button see for example figure 6 and column 4 lines 25- 37 for the

remote control unit with element 15f as the operation screen selection key to select a screen to expand/ reduce thereby show the entire road and the detailed road (portion displayed).

As per claims 21 and 25 Takishita teaches the display device is arranged a vehicle navigation unit see for example figures 1- 4; and the updating mechanism is configured to update the database using digital transmission links between the vehicle and a station located on the ground see for example figure 5 and column 3 line 56 for a GPS and CPU for calculating the position.

As per claim 22 and 26 Takishiat inherently teaches the display device is integrated in a portable computer; and the portable computer is installed in a piloting position in an aircraft see for example the figure 5 for the car navigation unit.

Response to Arguments

Applicant's arguments with respect to claims 1- 7, 9- 16 and 18- 30 have been considered but are moot in view of the new ground(s) of rejection.

Inquiry

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Mike Rahmjoo whose telephone number is 571-272-7789. The examiner can normally be reached on 8 AM- 5 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Kee Tung can be reached on 571-272-7794. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Mike Rahmjoo

December 12, 2006



MARK ZIMMERMAN
SPE 2628